

### Applications

Municipal jobs  
Nurseries

Landscaping  
Parks

### Main features

All-electric control from operator's seat  
Overlapping blades for clean cut  
Swing-open gate with open frame design for easy tree access  
Enclosed tower cylinders and hoses  
Adjustable legs with four digging sizes

Adjustable slides (non-greasing, no rust)  
Easy-entry steps  
Leveling light  
Four sizes available

### Compatibility


Description	Item number	Compatible with loader
Tree Transplanter, Attachment Control Device (ACD), Cone 24in	7149499	T190-E, T320-B, S150-E, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Cone 28in	7149501	T190-E, T320-B, S150-E, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Cone 32in	7149503	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Cone 36in	7149505	T190-E, T320-B, S185-E, S175-E, T190-B, S250-B, S850-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Cone 44in	7149507	T320-B, S185-E, S250-B, S205-E, S770-E, T770-E, A770-E
Tree Transplanter, Attachment Control Device (ACD), Modified 24in	7149451	T190-E, T320-B, S150-E, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Modified 28in	7149457	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S150-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Modified 32in	7149463	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Modified 36in	7149469	T190-E, T320-B, S185-E, S175-E, T190-B, S250-B, S850-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Modified 44in	7149472	T320-B, S185-E, S250-B, S205-E, S770-E, T770-E, A770-E
Tree Transplanter, Attachment Control Device (ACD), Truncated 24in	7149448	T190-E, T320-B, S150-E, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Truncated 28in	7149454	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S150-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Truncated 32in	7149460	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Attachment Control Device (ACD), Truncated 36in	7149466	T190-E, T320-B, S185-E, S175-E, T190-B, S250-B, S850-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Cone 24in	7149476	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S150-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Cone 28in	7149480	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S150-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Cone 32in	7149485	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Cone 36in	7149488	T190-E, T320-B, S185-E, S175-E, T190-B, S250-B, S850-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Cone 44in	7149491	T320-B, S250-B, S205-E, S770-E, T770-E, A770-E
Tree Transplanter, Convertible, Modified 24in	7149312	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S150-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Modified 28in	7149243	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S150-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Modified 32in	7149442	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Modified 36in	7149445	T190-E, T320-B, S185-E, S175-E, T190-B, S250-B, S850-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Modified 44in	7149306	T320-B, S185-E, S250-B, S205-E, S770-E, T770-E, A770-E
Tree Transplanter, Convertible, Truncated 24in	7149309	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S150-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Truncated 28in	7144870	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S150-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S510-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E
Tree Transplanter, Convertible, Truncated 32in	7149439	T190-E, T320-B, S185-E, T190-B, S250-B, S850-E, S160-E, S175-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E

Description	Item number	Compatible with loader
Tree Transplanter, Convertible, Truncated 36in	7149292	T190-E, T320-B, S185-E, S175-E, T190-B, S250-B, S850-E, S205-E, S770-E, T770-E, A770-E, S530-E, S550-E, S550-B, S570-E, S590-E, T590-E

### Characteristics and performance

Description	Item number	Nr of spades	Tree diameter (mm)	Ball diameter (mm)	Ball Weight (kg)
Tree Transplanter, Attachment Control Device (ACD), Cone 24in	7149499	3	25.0-50.0	450.0-600.0	35.0-110.0
Tree Transplanter, Attachment Control Device (ACD), Cone 28in	7149501	3	35.0-60.0	550.0-730.0	65.0-170.0
Tree Transplanter, Attachment Control Device (ACD), Cone 32in	7149503	3	50.0-80.0	650.0-800.0	115.0-260.0
Tree Transplanter, Attachment Control Device (ACD), Cone 36in	7149505	3	50.0-90.0	700.0-900.0	175.0-365.0
Tree Transplanter, Attachment Control Device (ACD), Cone 44in	7149507	4	75.0-110.0	900.0-1100.0	260.0-530.0
Tree Transplanter, Attachment Control Device (ACD), Modified 24in	7149451	3	25.0-50.0	450.0-600.0	35.0-110.0
Tree Transplanter, Attachment Control Device (ACD), Modified 28in	7149457	3	35.0-60.0	550.0-730.0	65.0-170.0
Tree Transplanter, Attachment Control Device (ACD), Modified 32in	7149463	3	50.0-80.0	650.0-800.0	115.0-260.0
Tree Transplanter, Attachment Control Device (ACD), Modified 36in	7149469	3	50.0-90.0	700.0-900.0	175.0-365.0
Tree Transplanter, Attachment Control Device (ACD), Modified 44in	7149472	4	75.0-110.0	900.0-1100.0	260.0-530.0
Tree Transplanter, Attachment Control Device (ACD), Truncated 24in	7149448	3	25.0-50.0	450.0-600.0	35.0-110.0
Tree Transplanter, Attachment Control Device (ACD), Truncated 28in	7149454	3	35.0-60.0	550.0-730.0	65.0-170.0
Tree Transplanter, Attachment Control Device (ACD), Truncated 32in	7149460	3	50.0-80.0	650.0-800.0	115.0-260.0
Tree Transplanter, Attachment Control Device (ACD), Truncated 36in	7149466	3	50.0-90.0	700.0-900.0	175.0-365.0
Tree Transplanter, Convertible, Cone 24in	7149476	3	25.0-50.0	450.0-600.0	35.0-110.0
Tree Transplanter, Convertible, Cone 28in	7149480	3	35.0-60.0	550.0-730.0	65.0-170.0
Tree Transplanter, Convertible, Cone 32in	7149485	3	50.0-80.0	650.0-800.0	115.0-260.0
Tree Transplanter, Convertible, Cone 36in	7149488	3	50.0-90.0	700.0-900.0	175.0-365.0
Tree Transplanter, Convertible, Cone 44in	7149491	4	75.0-110.0	900.0-1100.0	260.0-530.0
Tree Transplanter, Convertible, Modified 24in	7149312	3	25.0-50.0	450.0-600.0	35.0-110.0
Tree Transplanter, Convertible, Modified 28in	7149243	3	35.0-60.0	550.0-730.0	65.0-170.0
Tree Transplanter, Convertible, Modified 32in	7149442	3	50.0-80.0	650.0-800.0	115.0-260.0
Tree Transplanter, Convertible, Modified 36in	7149445	3	50.0-90.0	700.0-900.0	175.0-365.0
Tree Transplanter, Convertible, Modified 44in	7149306	4	75.0-110.0	900.0-1100.0	260.0-530.0
Tree Transplanter, Convertible, Truncated 24in	7149309	3	25.0-50.0	450.0-600.0	35.0-110.0
Tree Transplanter, Convertible, Truncated 28in	7144870	3	35.0-60.0	550.0-730.0	65.0-170.0
Tree Transplanter, Convertible, Truncated 32in	7149439	3	50.0-80.0	650.0-800.0	115.0-260.0
Tree Transplanter, Convertible, Truncated 36in	7149292	3	50.0-90.0	700.0-900.0	175.0-365.0

### Weights and dimensions



Description	Item number	Operating weight (kg)	Shipping weight (kg)	Overall length (A) (mm)	Overall width (B) (mm)	Overall height (C) (mm)
Tree Transplanter, Attachment Control Device (ACD), Cone 24in	7149499	642.0	642.0	2050.0	2250.0	1450.0
Tree Transplanter, Attachment Control Device (ACD), Cone 28in	7149501	676.0	676.0	2162.0	2347.0	1450.0
Tree Transplanter, Attachment Control Device (ACD), Cone 32in	7149503	722.0	722.0	2116.0	2332.0	1631.0
Tree Transplanter, Attachment Control Device (ACD), Cone 36in	7149505	744.0	744.0	2223.0	2428.0	1631.0
Tree Transplanter, Attachment Control Device (ACD), Cone 44in	7149507	975.0	975.0	2162.0	2162.0	1631.0
Tree Transplanter, Attachment Control Device (ACD), Modified 24in	7149451	604.0	604.0	1798.0	1816.0	1217.0
Tree Transplanter, Attachment Control Device (ACD), Modified 28in	7149457	642.0	642.0	1913.0	1915.0	1217.0
Tree Transplanter, Attachment Control Device (ACD), Modified 32in	7149463	692.0	692.0	1930.0	1930.0	1491.0
Tree Transplanter, Attachment Control Device (ACD), Modified 36in	7149469	717.0	717.0	1991.0	2027.0	1491.0
Tree Transplanter, Attachment Control Device (ACD), Modified 44in	7149472	973.0	973.0	1994.0	1974.0	1692.0
Tree Transplanter, Attachment Control Device (ACD), Truncated 24in	7149448	604.0	604.0	1740.0	1715.0	1242.0
Tree Transplanter, Attachment Control Device (ACD), Truncated 28in	7149454	642.0	642.0	1854.0	1811.0	1242.0
Tree Transplanter, Attachment Control Device (ACD), Truncated 32in	7149460	694.0	694.0	1811.0	1806.0	1519.0

Description	Item number	Operating weight (kg)	Shipping weight (kg)	Overall length (A) (mm)	Overall width (B) (mm)	Overall height (C) (mm)
Tree Transplanter, Attachment Control Device (ACD), Truncated 36in	7149466	719.0	719.0	1918.0	1902.0	1519.0
Tree Transplanter, Convertible, Cone 24in	7149476	642.0	642.0	2050.0	2250.0	1450.0
Tree Transplanter, Convertible, Cone 28in	7149480	676.0	676.0	2162.0	2347.0	1450.0
Tree Transplanter, Convertible, Cone 32in	7149485	722.0	722.0	2116.0	2332.0	1631.0
Tree Transplanter, Convertible, Cone 36in	7149488	744.0	744.0	2223.0	2428.0	1631.0
Tree Transplanter, Convertible, Cone 44in	7149491	975.0	975.0	2162.0	2162.0	1631.0
Tree Transplanter, Convertible, Modified 24in	7149312	604.0	604.0	1798.0	1816.0	1217.0
Tree Transplanter, Convertible, Modified 28in	7149243	642.0	642.0	1913.0	1915.0	1217.0
Tree Transplanter, Convertible, Modified 32in	7149442	692.0	692.0	1930.0	1930.0	1491.0
Tree Transplanter, Convertible, Modified 36in	7149445	717.0	717.0	1991.0	2027.0	1491.0
Tree Transplanter, Convertible, Modified 44in	7149306	973.0	973.0	1994.0	1974.0	1692.0
Tree Transplanter, Convertible, Truncated 24in	7149309	604.0	604.0	1740.0	1715.0	1242.0
Tree Transplanter, Convertible, Truncated 28in	7144870	642.0	642.0	1854.0	1811.0	1242.0
Tree Transplanter, Convertible, Truncated 32in	7149439	694.0	694.0	1811.0	1806.0	1519.0
Tree Transplanter, Convertible, Truncated 36in	7149292	719.0	719.0	1918.0	1902.0	1519.0