



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT



R3

COMPACT, RAPID-DRYING CARPET CLEANER

Go places you haven't gone before – with ReadySpace® technology

- Turn congested areas quickly with patented ReadySpace technology for carpet that is clean, dry, and ready for use in less than 30 minutes
- Clean compact spaces easily with ultra-low profile, compact design
- Quietly clean with true OSHA recognised 69 dBA sound level

CARPETS CLEANED WITH READYSPACE TECHNOLOGY ARE DRY AND READY FOR FOOT TRAFFIC IN **LESS THAN 30 MINUTES**



CLEAN, HEALTHY ENVIRONMENTS

ReadySpace technology helps reduce mold and bacteria growth and leaves clean, healthy spaces while using up to 80% less water and leaving up to 90% less water in the carpet.

INCREASE PRODUCTIVITY IN TIGHT SPACES

Clean with ease in tight, congested areas, such as office spaces, with forward and reverse cleaning action. The ultra low profile design and Insta-Adjust™ handle extends your cleaning reach under low-profile desks and tables.

EASY TO FILL AND EMPTY TANKS

Easy to fill, empty, and clean Hygenic® lift-off tanks offer a unique compact design. Ergonomic handles and grips ensure easy pick up.


BEAUTIFULLY CLEAN, ALWAYS READY CARPET SPACES

Improve carpet appearance and luster with ReadySpace technology's exclusive soil transfer rollers that lift and remove the dirt vacuuming leaves behind. The results are exceptional:

- Keep high-traffic areas looking new with frequent cleanings.
- Reduce chemical build up to help prevent resoiling.
- Reduce risk of slip-and-fall incidents when transitioning from just cleaned carpet to hard floors.

INSIDE THE

R3



PATENTED READYSPACE® TECHNOLOGY

- A** Unique soil-transfer rollers are the basis for ReadySpace. When damp, these fabric rollers grab dirt from the carpet fibers and lift it into the machine.
- B** Inside, a sprayer rinses soil from the rollers, not the carpet.
- C** Two powerful individual vacuum shoes transfer the dirty water into the recovery tank.

FROM CLEAN TO CROWD IN MINUTES.

Reopen spaces sooner with ReadySpace technology.

OFFICE

First Shift

6:30 AM – Cleaning crew finishes cleaning small office space with Tennant R3.

7:00 AM – Carpet is clean, dry, and ready for office traffic.



HOSPITALITY

Check In

2:30 PM – Housekeeping finishes cleaning the hotel room with Tennant R3.

3:00 PM – Carpet is clean, dry, and ready for guest check in.



RETAIL

Store Open

8:30 AM – Mall maintenance finishes cleaning stores.

9:00 AM – Carpet is clean, dry, and ready for shoppers.



READY SPACE®

More than clean, it's ReadySpace®

GENUINE TENNANT PARTS, SUPPLIES AND SERVICE

Tennant Service Offering

- Maximise safety, productivity and uptime
- Control and protect your investment and lower your total cost of ownership
- Benefit from over 200 factory-trained service technicians across Europe

Tennant Parts & Supplies

- Operate your machine with confidence
- Benefit from years of worry-free operation

Tennant Cleaning Solutions

- Further your sustainable cleaning goals
- Choose sustainable benefits your company wants

R3 COMPACT, RAPID-DRYING CARPET CLEANER

CLEANING SYSTEM

Cleaning path 380 mm

BRUSH DRIVE SYSTEM

Roller motor (2) 0,22 kW
Roller speed 450 rpm
Roller size (dual cylindrical) 380 mm

SOLUTION SYSTEM

Solution tank capacity 19 L
Solution pump pressure 4,48 bar
Solution spray rate 0,76 lpm

RECOVERY SYSTEM

Recovery tank capacity 19 L
Vacuum fan 2-stage, 0,88 kW
Vacuum motor airflow (max) 2,8 m³/min
Vacuum system sealed waterlift 2.184 mm

POWER SYSTEM

Total power consumption 5,5 Amp
Power cord 15 m
Voltage 230V

MACHINE SPECIFICATIONS*

Length 760 mm
Width 480 mm
Height 710 mm
Weight 53 kg
Sound level (operator's ear) 69 dBA

ACCESSORIES

Optional tools available.

WARRANTY

See your local representative for warranty information.

* Dimensions are measured with handle folded flat for storage.

Specifications subject to change without notice.

SEEING IS BELIEVING

For a demonstration or additional information contact us:

TENNANT UK CLEANING SOLUTIONS LTD

Gladstone Road
Northampton NN5 7RX
UNITED KINGDOM
Tel: 0800 111 4402 (local rate UK only)
Tel: 01604 583191
Fax: 0845 052 9349
E-mail: sales.uk@tennantco.com
E-mail: enquiries@tennantco.com

TCS EMEA GmbH

Sommerfeld 1
5202 Neumarkt am Wallersee
AUSTRIA
Tel: +43 (0)6216 4524 & 4525
Fax: +43 (0)6216 4524 20
E-mail: office@tennant-cee.com

TENNANT EUROPE NV

Roderveldlaan 3
2600 Antwerp
BELGIUM
Tel: +32 3 217 94 11
Fax: +32 3 217 94 19
E-mail: europe@tennantco.com